

TECHNOLOGY



MONOCHROME HIGH-VOLUME MULTIFUNCTION PRINTER

High-speed print/copy output of 95 ppm in high-quality B&W

Standard dual scanning handles up to 240 originals per minute

High capacity 300-sheet document feeder

INFO-Palette display for instant access to more information

Large 9" color display with quick tablet-like interface

Web browser ready with 4 GB memory

Downloadable apps to improve your productivity

Simitri® HD toner guarantees excellent print quality

Scan-to-email, scan-to-ftp, scan-to-me, scan-to-home convenience

6,650-sheet capacity, tab printing support, carbon-copy printing

Finishing options for 80-page booklet making, up to 100-sheet stapling

Options for 2/3-hole punch, tri-fold, z-fold, post-insertion and more

Internal card reader and other advanced security options

Optional voice guidance, PDF/A formatting

Multiple i-Options to suit the needs of your workflow

Low power consumption, eco-indicator to help cut costs

EPEAT Gold-certified

Mobile printing support (AirPrint, Google Classic Cloud Print™, NFC)

bizhub 958

MONOCHROME HIGH-VOLUME MULTIFUNCTION PRINTER

With 95 ppm print/copy output in high-resolution B&W, standard dual scanning at up to 240 opm, multiple finishing options and enhanced touch-and-swipe interface, the bizhub 958 brings maximum productivity to high-volume document demands and in-house, on-demand printing applications.

CVCT	EM O	MEDI	/15/14/
2121	FIVE C	VEK	/IFVV
	0		

STSTEIN OVERVIEW	
System memory	4 GB
System hard disk	250 GB
Interface	10-BASE-T / 100-BASE-TX / 1,000-BASE-T Ethernet,
	USB 2.0, Wi-Fi 802.11 b/g (optional)
Network protocols	TCP/IP (IPv4/IPv6), NetBEUI, SMB, LPD, IPP, SNMP, HTTP
Frame types	Ethernet 802.2, Ethernet 802.3, Ethernet II,
	Ethernet SNAP
Dual scan	Up to 300 originals / 5.5" x 8.5" to 11" x 17" /
document feeder	35-210 gsm
Printable paper size	Scanning/Copying: up to 11" x 17"
	Printing: up to 11" x 17" full bleed on 12" x 18" paper
	Custom paper sizes, Banner paper max.: 11.75" x 47.25"
Printable paper weight	52-300 gsm
Paper input capacity	Standard: 3,650 sheets / Max.: 6,650 sheets
Tray 1	500 sheets / 5.5" x 8.5" to 12" x 18" / 52-256 gsm
Tray 2	500 sheets / 5.5" x 8.5" to 12" x 18" / 52–256 gsm
Tray 3	1,500 sheets / 8.5" x 11" / 52-256 gsm
Tray 4	1,000 sheets / 8.5" x 11" / 52–256 gsm
Large capacity tray	3,000 sheets / 8.5" x 11" / 52–256 gsm
LU-303 (optional)	•
Large capacity tray	2,500 sheets / 8.5" x 11" to 12" x 18" / 52–256 gsm
LU-205 (optional)	
Manual bypass	150 sheets / 4" x 6" to 12" x 18" / custom paper sizes /
••	52-300 gsm
Automatic duplexing	5.5" x 8.5" to 12" x 18" / 52–256 gsm
Finishing modes	Offset, group, sort, staple, punch, post insertion,
	z-fold, half-fold, tri-fold, booklet
Output capacity	Max. with finisher: 3,300 sheets
	Max. without finisher: 250 sheets
Stapling (optional)	Max.: 100 sheets or 94 sheets + 2 cover sheets
	(up to 209 gsm)
Stapling output capacity	Max.: 1,000 sheets
Tri-fold (optional)	Up to 3 sheets
Tri-fold capacity	Max.: 30 sheets (tray)
Booklet (optional)	Max.: 20 sheets or 19 sheets + 1 cover sheet
	(up to 209 gsm)
Booklet output capacity	Max.: 100 sheets (tray)
Copy/print volume	Max.: 300,000 pages / month ¹
Toner lifetime	40,800 pages
Imaging unit lifetime	400,000 pages / 1,200,000 pages (developer)
Power consumption	208 V / 60 Hz, less than 3.8 kW
System dimensions	26.4" x 32.3" x 48.5" (W x D x H)
System weight	Approx. 441 lb
-,	- pp-second to the

PRINTER SPECIFICATIONS

Print resolution	1,800 x 600 dpi, 1,200 x 1,200 dpi	
PDL	PCL6 (XL 3.0), PCL5, PostScript 3 (ver. 3016), XPS	
Operating systems	Windows (x32 / x64): Vista / 7 / 8 / 8.1	
	Windows Server: 2003 / 2003 R2 / 2008 / 2008 R2 /	
	2012/2012 R2	
	Macintosh OS X: 10.6 / 10.7 / 10.8 / 10.9 / 10.10	
	Unix / Linux / Citrix	
Printer fonts	80 PCL Latin, 137 PostScript 3 emulation	
Print functions	Direct Print of PCL, PS, TIFF, XPS, PDF (v. 17), encrypted	
	PDF files and OOXML (DOCX, XLSX, PPTX), mixmedia	
	and mixplex, "Easy Set" job programming, overlay,	
	watermark, copy protection, carbon copy print	

COPIER SPECIFICATIONS

Copying process	Electrostatic laser copy, tandem, indirect	
Toner system	Simitri® HD Polymerized Toner	
Print speed (8.5" x 11")	Up to 95 ppm (portrait)	
Autoduplex speed	Up to 95 ppm (portrait)	
(8.5" x 11")		
1st copy out time	3.2 sec.	
Warm-up time	Approx. 55 sec.	
Copy resolution	600 x 600 dpi	
Gradations	256 gradations	
Multi-copy	1-9,999	
Original format	Up to 11" x 17"	
Magnification	25-400% in 0.1% steps, auto zooming	
Copy functions	Chapter, cover and page insertion, proof copy	
	(print and screen), adjustment test print, digital art	
	functions, job setting memory, poster mode,	
	image repeat, overlay, stamping, copy protection	

SCANNER SPECIFICATIONS

Scan speed	B&W / Color: Up to 240 ipm
Scan resolution	Max.: 600 x 600 dpi
Scan modes	Scan-to-Email, Scan-to-SMB, Scan-to-FTP,
	Scan-to-Box, Scan-to-USB, Scan-to-WebDAV,
	Scan-to-DPWS, Network TWAIN scan
File formats	JPEG, TIFF, PDF, PDF/A 1a and 1b (optional),
	compact PDF, encrypted PDF and searchable PDF
	(optional), XPS, compact XPS, PPTX and searchable
	PPTX (optional), searchable DOCX/XLSX (optional)
Scan destinations	2,100 (shared with fax), LDAP support
Scan functions	Annotation (text/time/date) for PDF, up to 400 job
	programs, real-time scan preview

FAX SPECIFICATIONS

Fax	Super G3 (optional)	
Transmission	Analog, Color i-Fax, IP-Fax	
Resolution	Max.: 600 x 600 dpi (ultra-fine)	
Compression	MH, MR, MMR, JBIG	
Modem	Up to 33.6 Kbps	
Destinations	2,100 (single + group)	
Functions	Polling, time shift, PC-fax, receipt to confidential box,	
	receipt to email/FTP/SMB, up to 400 job programs	

USER BOX SPECIFICATIONS

Storable documents	Max.: 3,000 documents or 10,000 pages
Type of user boxes	Public
	Personal (with password or authentication)
	Group (with authentication)
Type of system boxes	Secure print, encrypted PDF, fax receipt, fax polling
User box functionality	Reprint, combination, download, sending (email/ FTP/SMB and fax),
	copy box-to-box

SYSTEM FEATURES

Security	ISO 15408 EAL3 ³	
•	IEEE 2600.13	
	IP filtering and port blocking	
	SSL2, SSL3 and TSL1.0 network communication	
	IPsec support	
	IEEE 802.1x support	
	User authentication	
	Authentication log	
	Secure print	
	Hard disk overwrite (8 standard types)	
	Hard disk data encryption (AES 256)	
	Hard disk mirroring (optional)	
	Memory data auto deletion	
	Confidential fax receipt	
	Print user data encryption	
	Copy protection: Copy Guard, Password Copy (optional)	
Accounting	Up to 1,000 user accounts	
	Active directory support	
	(user name + password + email + SMB folder)	
	User function access definition	
	Optional biometric authentication (finger vein scanner)	
	Optional ID card authentication (ID card reader)	
Software	Net Care Device Manager	
	Box Operator	
	Direct Print	
	Print Status Notifier	
	Driver Packaging Utility	
	Log Management Utility	

¹ Maximum monthly duty cycle describes the maximum number of pages a device can output on a monthly basis. This specification is a guideline intended to offer a comparison of durability as it relates to the entire Konica Minolta MFP and printer product line so that the appropriate device can be placed in order to meet customer needs.

2 Warm-up time may vary depending on the operating environment and usage.

3 Certification pending.



COMPONENTS AND OPTIONS

AU-102 Biometric	Finger vein scanner
authentication	V : 10 1: 1 1 :
AU-205H Universal	Various ID card technologies
ID Card Reader	HCD I I I I'
EK-610 USB I/F kit	USB keyboard connection
EK-611 USB I/F kit	USB keyboard connection, Bluetooth
External keyboard	External USB keyboard
FK-515 Fax board	Super G3 fax, digital fax functionality, lines 3 & 4 support
FV 516 5	(requires MK-742)
FK-516 Fax board	Super G3 fax, digital fax functionality 50-sheet stapling / 3,200 sheets max. output
FS-536 Staple finisher	(requires RU-515)
FS-536SD Booklet	50-sheet staple finisher / 20-sheet booklet finisher /
finisher	2,200 sheets max. output (requires RU-515)
FS-537 Staple finisher	100-sheet stapling / 3,200 sheets max. output
13-337 Staple Illistici	(requires RU-515)
FS-537SD Booklet	100-sheet staplingcc / 20-sheet booklet finishing /
finisher	2,500 sheets max. output (requires RU-515)
HD-524 Hard disk	Hard disk mirroring, 250 GB
JS-602 Job separator	Separation for fax output, etc.
KH-102 Keyboard holder	To place USB keyboard
KP-101 10-Key pad	For use instead of touchscreen
LK-102 v3	PDF/A, PDF encryption, digital signature
LK-104 v3	Provides voice guidance functions
LK-105 v4	Searchable PDF
LK-106	Supports native barcode printing
LK-107	Supports native Unicode printing
LK-108	Supports native OCR A and B font printing
LK-110 v2	Generates various file formats includes DOCX, XLSX
	and combines LK-102 (encrypted PDF) + LK-105
	(searchable PDF/OCR functionality)
LK-111 ThinPrint® Client	Print data compression for reduced network impact
LU-205 Large	2,500 sheets / 8.5" x 11" to 12" x 18" / 52–256 gsm
capacity unit	
LU-303 Large	3,000 sheets / 8.5" x 11" / 52-256 gsm
capacity unit	
MK-715 Mount kit	Banner paper guide
MK-735 Mount kit	Installation kit for ID card reader
MK-742 Mount kit	Installation kit for FK-515 fax board
OT-508 Output tray	Output tray use instead of finisher
PI-507 Post inserter	Cover insertion, post finishing
PK-520 Punch kit	2/3-hole punching, autoswitching
for FS-536	2/2 hala avarabina automitabina
PK-523 Punch kit for FS-537	2/3-hole punching, autoswitching
RU-515 Relay unit	Required for the FS-536 / FS-536SD / FS-537 / FS-537SD
SC-508 Security kit	Copy guard function
	170
SP-501 Stamp unit UK-501 Double feed	Added fax stamp capability Detects multi-feeding in the document feeder
detection kit	Detects main-recally in the abcument recaer
UK-212 Wireless LAN	Wireless LAN to network connector
WT-506 Working table	Authentication device placement
WT-513 Working table	Used to mount the control panel in an upright position,
for upright panel	authentication device placement
ZU-609 Z-fold unit	Fold unit for FS-537/SD
	10.0 0(10.10 001/00



PARTNERSHIP

Konica Minolta can help give shape to your ideas and partner with you to achieve your corporate objectives. Contact us to realize opportunities in:

INFORMATION MANAGEME	NT
----------------------	----

Enterprise Content Management (ECM)

Document Management

Automated Workflow Solutions

Business Process Automation

Security and Compliance

Mobility

eDiscovery Services

IT SERVICES

Application Services

Cloud Services

IT Security

Managed IT Services

IT Consulting & Projects

Business Consulting Services

TECHNOLOGY

Office Multifunction Business Solutions

Commercial and Production Printers

3D Printers

Wide Format Printers

Laptops, Desktops and Computer Hardware

Servers and Networking Equipment

Managed Print Services (MPS)

Managed Enterprise Services







For complete information on Konica Minolta products and solutions, please visit: CountOnKonicaMinolta.com

© 2018 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA, the KONICA MINOLTA logo and bizhub are registered trademarks or trademarks of KONICA MINOLTA, INC. All other product and brand names are trademarks or registered trademarks of their respective companies or organizations. All features and their respective companies or organizations and their respective companies or organizations and their respective companies or organizations. All features and their respective companies or organizations are trademarks or registered trademarks of their respective companies or organizations. All features and their respective companies or organizations are trademarks or registered trademarks or registered trademarks or their respective companies or organizations are trademarks or registered trademarks or their respective companies or organizations. All features and their respective companies or organizations are trademarks or registered trademarks orfunctions described here may not be available on some products. Design & specifications are subject to change without notice.



KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. 100 Williams Drive, Ramsey, New Jersey 07446

CountOnKonicaMinolta.com





